

PKNERGY®

电源解决方案
Power Solution

——个性化定制方案提供者/您值得信赖的锂电池生产商

Solution provider for customized application/Your reliable Lithium battery manufacturer

深圳市倍苛新能源有限公司
SHENZHEN PKNERGY ENERGY CO.,LTD
www.pknergy.com

PKNERGY®

深圳市倍苛新能源有限公司
SHENZHEN PKNERGY ENERGY CO.,LTD

地址：深圳市龙华新区观光路美泰科技园4栋

Address: 4th Building,Meitai Technology Park,Guangguang Road,Longhua,Shenzhen,China 518110

总机电话/Tel: 86-755-86670646

传真/Fax: 86-755-86670609

网址/Website: www.pknergy.com

ABOUT US
公司简介

深圳市倍苛新能源有限公司是一家专业致力于聚合物锂离子电池、圆柱型锂离子电池和磷酸铁锂电池自主研发、生产和销售为一体的国家高新技术企业以及高科技绿色能源企业，并提供高端的整套能源解决方案。

本公司自成立以来，始终以服务全球通信、IT、家电、金融、安保、交通，消费类电子终端产品、医疗仪器、电动工具等领域电源用户为己任。历经数年的发展，现已成长为全球领先的定制化锂电方案和产品提供商。同时拥有业内先进的定制化研发、专业化制造和强有力供应链于一体的运营系统。公司本着与国际化接轨，产品通过CB, UL, CE/IEC, REACH, RoHS等多项国际认证. 并全面实现ISO9001质量管理体系和ISO14001环境管理体系。


本公司现正处于高速发展阶段，通过优良的设备、先进的技术和卓越的管理以及不断创新的精神确保能为客户提供最优良的产品和最全面的服务。我们坚持以“诚信、共赢”的价值观，持续创新，变革突破，将倍苛新能源公司打造成为锂电行业的新旗帜！

SHENZHEN PKNERGY ENERGY CO.,LTD is specializing in researching,developing,manufacturing and marketing of Lithium-Polymer battery,Cylindrical Li-ion battery and Li-FePO4 battery,as well as concentrating on being a solution provider for customized application of battery and power.


Since its foundation,PKNERGY is focusing on serving customers from areas of Global Communication,IT,Household Appliances,Security System,Consumer Electronics,Medical Instruments,Lighting and Electric Tools,etc. After years of developing, PKNERGY became one of the top level Li-battery solution provider in worldwide market. At the same time, we own the most advanced ODM service, Processional production and most power-full supply chain systems.Our products are now certificated by CB, UL, CE/IEC, REACH, RoHS,etc,and PKNERGY introduced the ISO9001 and ISO14001 systems.

PKNERGY is in a high-speed development stage,by relying on the superior equipment, advanced

ISO 9001 Certification | ISO 14001 Certification | ICE Certifhication | RoHS Certification | Reach Certification



Product Directory
产品目录



1 圆柱锂离子电池 Cylindrical Lithium-Ion Battery

2 圆柱锂离子电池组 Cylindrical Lithium-Ion Battery Pack

3 圆柱磷酸铁锂电池 Cylindrical Li-FePO4 Battery

4 圆柱磷酸铁锂电池组 Cylindrical Li-FePO4 Battery Pack

5 锂聚合物电池 Lithium Polymer Battery

Cylindrical Lithium-Ion Battery
圆柱锂离子电池

倍苛新能源是专业研发、生产、销售锂电池及定制各种性能电池组的生产厂家，生产的锂电池广泛应用于：医疗设备、手持终端、移动照明、安防设备、家用电器、军用设备等领域。


公司多年来以客户需求为导向，产品品质为根基，可按产品电压、容量、尺寸大小、保护板功能等参数定制设计解决方案。公司产品均按要求通过CB,UL, CE/IEC, REACH, RoHS等各项国际认证。

倍苛新能源拥有全天候响应、数位工程师多对一服务、产品一年质保终身售后，业务遍布全国各省市，为每一位客户提供及时、迅速、方便更为快捷的锂电池组解决方案。

PKNERGY is specializing in researching,developing, manufacturing and marketing of.Li-Ion battery and Li-Ion battery pack. Our batteries are widely applied in medical facilities,Hand-held Terminal,LED lighting,security facilities,household appliances,Military facilities etc.

PKNERGY provides complete solutions for your battery system according to your requirements. Standard cells and customized packs,from simple cells to intelligent battery packs for the most demanding applications.We take into account special design requests and all relevant safety aspects.

We provide our in-depth know-how from consulting and development right through to the



电池特性

- 能量密度高
- 绿色能源，环保无污染
- 使用寿命长，循环次数超过500次
- 无记忆效应
- 极小的低自放率 & 高倍率充放电

Battery features

- High Energy Density
- Green Energy and Pollution-Free
- Long cycle life, more than 500 cycles
- No Memory Effect
- Minimal Self-Discharge&High rate Charge/Discharge

Cylindrical Lithium-Ion Battery Pack
圆柱锂离子电池组



Cylindrical Li-ion Battery 圆柱锂离子电池

型号Model	电压Nominal Voltage (V)	尺寸Diension		标称容量Capacity (mAh)	重量Weight Approx (g)
		直径Diatermer (mm)	高度Height (mm)		
ICR 10440	3.7	10.5	44.5	350	10.0
ICR 13450	3.7	12.5	45.0	550	14.0
ICR 13650	3.7	12.5	65.0	800	15.0
ICR 14430	3.7	14.5	43.0	600	16.0
ICR 14500	3.7	14.5	50.5	750	17.0
ICR 14500	3.7	14.5	49.5	800	18.0
ICR 14650	3.7	14.5	65.5	1000	24.0
ICR 16340	3.7	16.5	34.0	600	17.0
ICR 16500	3.7	17.0	50.5	800	18.0
ICR 16500	3.7	16.0	50.2	1200	19.0
ICR 18350	3.7	18.5	35.0	850	28.0
ICR 18490	3.7	18.5	49.5	1100	32.0
ICR 18490	3.7	18.5	49.0	1400	33.0
ICR 18500	3.7	18.5	50.5	1400	34.0
ICR 18500	3.7	18.5	50.5	1600	36.0
ICR 18620	3.7	18.5	61.6	2050	40.0
ICR 18650	3.7	18.5	65.5	2000	45.0
ICR 18650	3.7	18.5	65.5	2600	46.0
ICR 22650	3.7	22.5	65.5	2000	48.0
ICR 22650	3.7	23.0	65.2	3000	52.0
ICR 26650	3.7	26.5	65.5	3400	55.0
ICR 26650	3.7	26.5	65.2	4500	56.0

Cylindrical Li-FePO4 Battery
圆柱磷酸铁锂电池

电池特性

- 高效率输出：标准放电为2～5C、连续高电流放电可达10C，瞬间脉冲放电（10S）可达20C
- 高温时性能良好：外部温度65℃时内部温度则高达95℃，电池放电结束时温度可达160℃，电池的结构安全、完好
- 极好的循环寿命，经500次循环，其放电容量仍大于95%；过放电到零伏也无损坏；安全性高：可内置保护板，有过充过放保护，保障电池安全使用
- 可快速充电
- 无记忆效应：可充电池在经常处于充满不放完的条件下工作
- 无污染，绿色环保

Battery features

- High efficiency output: standard discharge 2-5C,duration high current discharge up to 10C,Instantaneous pulse discharge (10S) up to 20C
- Good performance at high temperature:when outside temperature is 65℃,inside temperature up to 95℃.When battery discharge cut-off ,the temperature up to 160℃,battery structure is safety.intact
- Good cycle life,after 500 times cycle,the discharge capacity still over 95%,even over-discharge to O voltage still no damage.High safety;can inlay PCM,with protection of over-charge and over-discharge,ensure battery safety to use.
- Rapid charge
- No memory effect:full capacity rechargeable battery always work in







应用领域：公交车、电动汽车、景点游览车及混合动力车、电动自行车、高尔夫球车、小型平板电瓶车、铲车、清洁车、电动轮椅、电动工具、电钻、电锯、割草机、遥控汽车、船、飞机、太阳能及风力发电的储能设备、UPS后备电源及应急灯、警示灯及矿灯、小型医疗仪器设备及便携式仪器后备电源等。

Application area:Bus,electric car,Tour bus and hybrid electrical vehicle,E-bike,club car,Small flat-panel car,cleaning trolley,electric wheelchair,power tools,drills,electric saw,mowers lawn,remote car,boat,airplane,solar energy and wind power generation 's storage energy device.

倍苛新能源是专业研发、生产、销售锂电池及定制各种性能电池组的生产厂家，生产的锂电池广泛应用于：医疗设备、手持终端、移动照明、安防设备、家用电器、军用设备等领域。

公司多年来以客户需求为导向，产品品质为根基，可按产品电压、容量、尺寸大小、保护板功能等参数定制设计解决方案。公司产品均按要求通过CB, UL, CE/IEC, REACH, RoHS等各项国际认证。

倍苛新能源拥有全天候响应、数位工程师多对一服务、产品一年质保终身售后，业务遍布全国各省市，为每一位客户提供及时、迅速、方便更为快捷的锂电池组解决方案。

PKNERGY is specializing in researching,developing,manufacturing and marketing of.Li-Ion battery and Li-Ion battery pack. Our batteries are widely applied in medical facilities,Hand-held Terminal,LED lighting,security facilities,household appliances,Military facilities etc.

PKNERGY provides complete solutions for your battery system according to your requirements. Standard cells and customized packs,from simple cells to intelligent battery packs for the most demanding applications.We take into account special design requests and all relevant safety aspects.

We provide our in-depth know-how from consulting and development right through to the assembly of the


Cylindrical Li-FePO4 Battery (High Power) 圆柱磷酸铁锂电池（倍率型）

型号Model	尺寸 Dimension (mm)		内阻 Internal Impedance (mΩ)	电压 Nominal Voltage (V)	容量 Nominal; Capacity (mAh)	放电倍率 Discharge Performance	重量 Weight Approx (g)
	直径 Diameter	高度 Height					
IFR18500	18±0.2	50±0.2	<80	3.2	850	1-3C /10-20C	32.0
IFR18650	18±0.2	65±0.2	<20	3.2	1100	1-3C /10-25C	40.0
IFR26650	26±0.2	65±0.2	<20	3.2	2400	1-3C /10-25C	82.0

Cylindrical Li-FePO4 Battery (High Capacity) 圆柱磷酸铁锂电池（容量型）

型号 Model	尺寸 Dimension (mm)		内阻 Internal Impedance (mΩ)	电压 Nominal Voltage (V)	容量Nominal Capacity (mAh)	放电倍率 Discharge Performance	重量Weight Approx (g)
	直径 Diameter	高度 Height					
IFR14430	14±0.2	43±0.2	<115	3.2	400	0.5-1C	15.0
IFR14500	14±0.2	50±0.2	<80	3.2	650	0.5-1C	17.8
IFR18500	18±0.2	50±0.2	<80	3.2	1200	0.5-1C	30.4
IFR18650	18±0.2	65±0.2	<80	3.2	1700	0.5-1C	41.2
IFR26650	26±0.2	65±0.2	<20	3.2	3200	0.5-1C	86.2
IFR26650	26±0.2	65±0.2	<20	3.2	3400	0.5-1C	87.0

Lithium-Polymer Battery
锂聚合物电池



Battery features

- High volume ratio and energy;
- Long cycle life,capacity retention keeps around 85% after 500 discharge cycles;
- Low self-discharge but fast charge&discharge rate;
- Excellent performance of high and low temperature;

应用领域：

数码产品、无线通讯、个人护理、照明灯具、便携式医疗设备、安防设备、便携式手持设备、智能手机、平板电脑、智能穿戴等。

Application:

Digital products,Wireless Communication,Personal care,Lighting, Medical device,Security products,Portable equipment,Smart phone,Tablet

电池特性

- 体积比能量高；
- 循环寿命长，500次循环剩余容量85%；
- 低自放电，能快速充放电；
- 电池具备良好的高低温性能；
- 绿色环保，产品符合UL\CB\CE\ROHS\REACH等要求。

Conventional Lipo Battery 常规锂聚合物产品型号系列

序号	系列Series	型号 Model	容 量Capacity (mAh)	电 压Voltage (V)	内阻Inner Resistance (mΩ)	厚 度Thickness (mm)	宽 度Width (mm)	长 度Length (mm)
1	0826	500826	≥70	≥3.7	≤300	≤5.0	≤8.0	≤26.0
2	0935	050935	≥120	≥3.7	≤180	≤5.0	≤9.5	≤35.5
3	0966	370966	≥200	≥3.7	≤140	≤3.7	≤9.5	≤66.5
4	1013	351013	≥15	≥3.7	≤1200	≤3.5	≤10.0	≤13.5
5	1014	301014	≥28	≥3.7	≤800	≤3.0	≤10.5	≤14.5
6	1018	401018	≥40	≥3.7	≤500	≤4.0	≤10.5	≤18.5
7		451018	≥50	≥3.7	≤400	≤4.5	≤10.5	≤18.5
8	1020	251020	≥25	≥3.7	≤700	≤2.7	≤10.8	≤20.8
9		301020	≥30	≥3.7	≤600	≤3.2	≤11.0	≤20.8
10		401020	≥55	≥3.7	≤350	≤4.2	≤10.5	≤20.5
11	1024	321024	≥50	≥3.7	≤420	≤3.4	≤10.4	≤24.0
12		361024	≥55	≥3.7	≤400	≤3.6	≤10.4	≤24.0
13	1025	351025	≥60	≥3.7	≤350	≤3.5	≤10.5	≤25.5
14		401025	≥70	≥3.7	≤290	≤4.0	≤10.0	≤25.0
15		501025	≥85	≥3.7	≤250	≤5.0	≤10.5	≤25.5
16	1027	301027	≥45	≥3.7	≤480	≤3.0	≤10.3	≤27.5
17		501027	≥80	≥3.7	≤400	≤5.0	≤10.3	≤27.5
18	1028	351028	≥75	≥3.7	≤260	≤3.5	≤10.5	≤28.5
19		451028	≥80	≥3.7	≤350	≤4.6	≤10.2	≤28.0
20	1029	411029	≥85	≥3.7	≤300	≤4.1	≤10.5	≤29.5
21	1030	301030	≥50	≥3.7	≤550	≤3.0	≤10.5	≤30.5
22		451030	≥100	≥3.7	≤220	≤4.5	≤10.5	≤30.5
23	1033	301033	≥70	≥3.7	≤320	≤3.1	≤10.5	≤33.5
24		441033	≥120	≥3.7	≤240	≤4.4	≤10.8	≤33.5
25	1035	251035	≥55	≥3.7	≤400	≤2.8	≤10.8	≤35.5
26		551035	≥130	≥3.7	≤450	≤5.7	≤10.0	≤35.5
27	1039	351039	≥110	≥3.7	≤240	≤3.5	≤10.8	≤39.5
28		401039	≥120	≥3.7	≤250	≤4.05	≤10.5	≤39.5
29	1045	401045	≥150	≥3.7	≤180	≤4.0	≤10.5	≤45.5
30	1048	301048	≥100	≥3.7	≤200	≤3.0	≤10.8	≤48.5
31		331048	≥120	≥3.7	≤250	≤3.3	≤10.5	≤48.5
32	1055	331055	≥120	≥3.7	≤200	≤3.5	≤10.5	≤55.5
33		401055	≥160	≥3.7	≤210	≤4.0	≤10.5	≤55.5
34	1058	371058	≥160	≥3.7	≤250	≤3.7	≤10.8	≤58.5
35	1119	401119	≥55	≥3.7	≤360	≤4.0	≤11.5	≤19.5
36	1120	381120	≥45	≥3.7	≤250	≤4.0	≤11.5	≤20.5
37		481120	≥70	≥3.7	≤280	≤4.8	≤11.5	≤20.5
38	1123	351123	≥45	≥3.7	≤360	≤3.5	≤11.5	≤23.5
39	1124	451124	≥85	≥3.7	≤300	≤4.5	≤11.5	≤24.5
40		541124	≥95	≥3.7	≤280	≤5.4	≤11.5	≤24.5
41	1132	341132	≥90	≥3.7	≤300	≤3.4	≤11.5	≤32.5
42		391132	≥110	≥3.7	≤350	≤3.95	≤11.5	≤32.5
43		491132	≥145	≥3.7	≤200	≤4.9	≤11.8	≤32.0
44	1135	351135	≥100	≥3.7	≤160	≤3.5	≤11.5	≤35.5
45		401135	≥110	≥3.7	≤350	≤4.0	≤12.0	≤32.5
46	1145	431145	≥160	≥3.7	≤180	≤4.3	≤11.5	≤45.5
47		451145	≥160	≥3.7	≤180	≤4.0	≤11.5	≤45.5
48	1160	521160	≥300	≥3.7	≤110	≤5.2	≤11.5	≤60.5
49	1165	431165	≥250	≥3.7	≤120	≤4.5	≤11.2	≤65.5
50	1215	381215	≥45	≥3.7	≤400	≤3.8	≤12.5	≤15.5
51		451215	≥40	≥3.7	≤550	≤4.5	≤12.5	≤15.5
52		581215	≥50	≥3.7	≤540	≤5.8	≤12.5	≤15.5
53	1218	351218	≥40	≥3.7	≤550	≤3.5	≤12.0	≤18.0
54		451218	≥50	≥3.7	≤560	≤4.5	≤12.0	≤18.0
55		501218	≥60	≥3.7	≤420	≤5.0	≤12.0	≤18.0
56	1219	351219	≥45	≥3.7	≤470	≤3.6	≤12.5	≤19.0
57		481219	≥70	≥3.7	≤360	≤4.9	≤12.5	≤19.5
58		551219	≥60	≥3.7	≤150	≤5.5	≤12.5	≤19.5
59	1220	251220	≥30	≥3.7	≤800	≤2.8	≤12.5	≤21.0
60		401220	≥65	≥3.7	≤400	≤4.2	≤12.5	≤21.0
61		501220	≥80	≥3.7	≤250	≤5.0	≤12.5	≤20.5
62	1221	481221	≥75	≥3.7	≤400	≤4.9	≤12.5	≤21.5
63	1223	281222	≥45	≥3.7	≤450	≤2.8	≤12.5	≤22.8
64		381223	≥65	≥3.7	≤360	≤3.8	≤12.5	≤23.5
65		451223	≥85	≥3.7	≤320	≤4.5	≤12.5	≤23.5
66	1225	301225	≥50	≥3.7	≤420	≤3.0	≤12.5	≤25.5
67		401225	≥90	≥3.7	≤280	≤4.2	≤12.5	≤25.5
68		551225	≥120	≥3.7	≤150	≤5.6	≤12.5	≤25.5
69	1228	401228	≥100	≥3.7	≤200	≤4.0	≤12.5	≤28.5
70	1230	351230	≥75	≥3.7	≤350	≤3.4	≤12.0	≤30.5
71		451230	≥125	≥3.7	≤300	≤4.46	≤12.5	≤30.5
72		601230	≥160	≥3.7	≤210	≤6.2	≤12.5	≤30.5
73	1235	251235	≥70	≥3.7	≤315	≤2.7	≤12.5	≤35.5
74		451235	≥150	≥3.7	≤160	≤4.5	≤12.5	≤35.5
75		501235	≥150	≥3.7	≤200	≤5.1	≤12.5	≤35.5
76	1240	501240	≥170	≥3.7	≤170	≤5.2	≤12.3	≤40.5
77		641240	≥250	≥3.7	≤130	≤6.4	≤12.5	≤40.5
78	1245	351245	≥150	≥3.7	≤160	≤5.0	≤12.5	≤45.5
79		451245	≥200	≥3.7	≤140	≤4.7	≤12.5	≤45.5
80		701245	≥300	≥3.7	≤130	≤6.6	≤12.5	≤45.5
81	1248	651248	≥330	≥3.7	≤130	≤6.5	≤12.5	≤48.5
82	1320	301320	≥50	≥3.7	≤420	≤3.2	≤13.5	≤20.0
83		361320	≥68	≥3.7	≤360	≤3.8	≤13.5	≤20.5
84	1323	451323	≥100	≥3.7	≤220	≤4.5	≤13.0	≤23.0
85		501323	≥100	≥3.7	≤200	≤5.0	≤13.5	≤23.5
86	1330	351330	≥95	≥3.7	≤300	≤3.5	≤13.0	≤28.0
87	1345	471345	≥250	≥3.7	≤120	≤4.7	≤13.5	≤45.5
88	1362	681362	≥530	≥3.7	≤120	≤6.8	≤13.5	≤63.5
89	1417	501417	≥60	≥3.7	≤400	≤5.2	≤14.5	≤17.5
90		601417	≥70	≥3.7	≤400	≤6.0	≤14.5	≤17.8

序号	系列Series	型号 Model	容 量Capacity (mAh)	电 压Voltage (V)	内阻Inner Resistance (mΩ)	厚 度Thickness (mm)	宽 度Width (mm)	长 度Length (mm)
91	1419	251419	≥35	≥3.7	≤400	≤2.5	≤14.5	≤19.5
92		501419	≥80	≥3.7	≤380	≤5.0	≤14.5	≤19.5
93		551419	≥100	≥3.7	≤280	≤5.5	≤14.5	≤19.5
94	1421	401421	≥80	≥3.7	≤280	≤4.1	≤14.0	≤22.0
95	1422	401422	≥80	≥3.7	≤280	≤4.0	≤14.5	≤22.5
96		451422	≥95	≥3.7	≤280	≤4.6	≤14.5	≤22.5
97		511422	≥110	≥3.7	≤280	≤5.1	≤14.5	≤22.5
98	1423	301423	≥65	≥3.7	≤240	≤3.0	≤14.5	≤23.5
99		501423	≥115	≥3.7	≤200	≤5.2	≤14.5	≤23.5
100	1425	451425	≥100	≥3.7	≤200	≤4.5	≤14.5	≤25.5
101	1428	301428	≥80	≥3.7	≤300	≤3.1	≤14.5	≤28.5
102		401428	≥110	≥3.7	≤210	≤4.0	≤15.5	≤28.5
103	1429	701429	≥220	≥3.7	≤150	≤7.3	≤14.5	≤29.8
104	1430	401430	≥130	≥3.7	≤200	≤4.2	≤14.5	≤30.5
105		501430	≥170	≥3.7	≤220	≤5.2	≤14.5	≤30.5
106		651430	≥210	≥3.7	≤160	≤6.5	≤14.5	≤30.5
107	1435	521435	≥200	≥3.7	≤130	≤5.2	≤14.5	≤35.5
108		701435	≥300	≥3.7	≤130	≤7.2	≤14.5	≤35.8
109	1439	701439	≥300	≥3.7	≤120	≤7.2	≤14.5	≤39.5
110	1452	651452	≥420	≥3.7	≤100	≤6.5	≤14.5	≤52.5
111	1454	681454	≥450	≥3.7	≤100	≤6.8	≤14.5	≤54.5
112		701454	≥450	≥3.7	≤100	≤7.0	≤14.5	≤54.0
113	1471	401471	≥360	≥3.7	≤120	≤4.0	≤14.5	≤71.5
114		661471	≥600	≥3.7	≤90	≤6.6	≤14.0	≤71.0
115	1515	401515	≥48	≥3.7	≤480	≤4.2	≤15.5	≤15.5
116		661515	≥85	≥3.7	≤390	≤6.6	≤15.0	≤15.0
117	1518	421518	≥80	≥3.7	≤260	≤4.2	≤14.5	≤18.5
118		531518	≥85	≥3.7	≤350	≤5.3	≤15.5	≤18.5
119		751518	≥130	≥3.7	≤390	≤7.5	≤15.5	≤18.5
120	1519	581519	≥100	≥3.7	≤230	≤5.8	≤15.0	≤19.5
121	1520	301520	≥40	≥3.7	≤500	≤3.0	≤15.5	≤20.5
122		371520	≥65	≥3.7	≤365	≤3.7	≤15.2	≤20.5
123	1522	381522	≥80	≥3.7	≤400	≤3.8	≤15.2	≤22.5
124		501522	≥120	≥3.7	≤250	≤5.0	≤15.2	≤22.5
125	1525	251525	≥65	≥3.7	≤260	≤2.7	≤15.5	≤25.5
126		401525	≥100	≥3.7	≤280	≤4.1	≤15.5	≤25.5
127		551525	≥160	≥3.7	≤160	≤5.5	≤15.5	≤25.5
128	1528	351528	≥80	≥3.7	≤260	≤3.5	≤15.0	≤28.0
129		451528	≥200	≥3.7	≤200	≤4.5	≤15.5	≤28.5
130		501528	≥150	≥3.7	≤170	≤5.0	≤15.2	≤28.5
131	1532	651532	≥250	≥3.85	≤120	≤6.7	≤15.5	≤32.5
132	1533	501533	≥200	≥3.7	≤140	≤5.2	≤15.5	≤33.5
133		601533	≥230	≥3.7	≤120	≤6.0	≤15.5	≤33.5
134	1535	601535	≥280	≥3.7	≤120	≤6.3	≤15.5	≤35.5
135	1537	501537	≥230	≥3.7	≤130	≤5.1	14.5~15.5	≤37.5
136		631537	≥300	≥3.7	≤130	≤6.3	≤15.5	≤37.5
137		781537	≥380	≥3.7	≤90	≤7.8	≤15.5	≤37.8
138	1539	601539	≥300	≥3.7	≤120	≤6.0	≤15.5	≤39.5
139		601539	≥280	≥3.7	≤120	≤6.0	≤15.5	≤39.5
140	1540	401540	≥220	≥3.7	≤120	≤4.5	≤15.5	≤40.5
141		501540	≥250	≥3.7	≤90	≤5.0	≤15.5	≤40.5
142	1550	401550	≥280	≥3.7	≤110	≤4.2	≤15.5	≤50.5
143	1555	601555	≥440	≥3.7	≤60	≤6.2	≤15.5	≤55.5
144	1558	801558	≥650	≥3.7	≤100	≤8.0	≤15.5	≤58.0
145	1572	381572	≥360	≥3.7	≤110	≤3.8	≤15.5	≤72.5
146		631572	≥740	≥3.7	≤80	≤6.5	≤16.0	≤72.5
147	1575	451575	≥450	≥3.7	≤100	≤4.5	≤15.4	≤73.5
148	1615	291615	≥35	≥3.7	≤550	≤2.9	≤16.5	≤15.5
149	1623	401623	≥100	≥3.7	≤200	≤4.0	≤16.5	≤23.5
150	1624	351624	≥90	≥3.7	≤300	≤3.5	≤16.5	≤24.5
151		481624	≥120	≥3.7	≤200	≤4.5	≤16.5	≤22.0
152	1630	501630	≥200	≥3.7	≤140	≤5.2	≤16.5	≤30.5
153	1635	351635	≥140	≥3.7	≤200	≤3.5	≤16.5	≤35.5
154		451635	≥200	≥3.7	≤100	≤4.5	≤16.5	≤35.5
155		631635	≥300	≥3.7	≤100	≤6.3	≤16.5	≤35.5
156	1640	351640	≥190	≥3.7	≤110	≤3.5	≤16.5	≤40.5
157		451640	≥250	≥3.7	≤180	≤4.5	≤16.5	≤40.5
158	1643	501643	≥280	≥3.7	≤90	≤5.0	≤16.5	≤43.5
159		701643	≥400	≥3.7	≤80	≤7.0	≤16.5	≤43.5
160	1645	401645	≥250	≥3.7	≤150	≤4.0	≤16.5	≤45.5
161	1646	501646	≥300	≥3.7	≤120	≤5.0	≤16.5	≤46.5
162		651646	≥450	≥3.7	≤100	≤6.5	≤16.8	≤46.5
163	1648	651648	≥460	≥3.7	≤100	≤6.5	≤16.5	≤48.5
164	1656	521656	≥420	≥3.7	≤90	≤5.2	≤16.5	≤56.5
165	1657	521657	≥420	≥3.7	≤90	≤5.2	≤16.8	≤57.0
166	1663	581663	≥530	≥3.7	≤90	≤5.8	≤16.5	≤63.5
167		601663	≥560	≥3.7	≤90	≤6.0	≤16.5	≤63.5
168	1680	701680	≥750	≥3.7	≤80	≤6.9	≤16.0	≤80.0
169	1695	481695	≥740	≥3.7	≤180	≤4.9	≤16.5	≤95.5
170	1720	361720	≥80	≥3.7	≤220	≤3.6	≤17.5	≤20.5
171		501720	≥110	≥3.7	≤180	≤5.0	≤17.5	≤20.5
172	1723	651723	≥180	≥3.7	≤200	≤6.7	≤17.5	≤23.5
173		651723	≥150	≥3.7	≤75	≤6.7	≤17.5	≤24.5
174	1725	451725	≥120	≥3.7	≤200	≤4.5	≤17.5	≤25.5
175		651725	≥220	≥3.7	≤150	≤6.5	≤17.5	≤25.5
176	1728	851728	≥280	≥3.7	≤200	≤8.5	≤17.5	≤28.5
177	1730	251730	≥95	≥3.7	≤280	≤2.7	≤17.5	≤30.5
178		301730	≥120	≥3.7	≤200	≤3.0	≤17.5	≤30.5
179		551730	≥250	≥3.7	≤150	≤5.7	≤17.5	≤30.5
180		651730	≥280	≥3.7	≤130	≤6.7	≤17.5	≤30.5
181	1733	551733	≥250	≥3.7	≤130	≤5.5	≤17.5	≤33.5
182	1735	601735	≥300	≥3.7	≤130	≤6.0	≤17.0	≤35.0
183	1738	451738	≥250	≥3.7	≤120	≤4.5	≤17.5	≤37.5
184		961738	≥500	≥3.7	≤100	≤9.6	≤17.5	≤37.5
185		301740	≥170	≥3.7	≤200	≤3.0	≤17.5	≤40.5

序号	系列Series	型号 Model	容 量Capacity (mAh)	电 压Voltage (V)	内阻Inner Resistance (mΩ)	厚 度Thickness (mm)	宽 度Width (mm)	长 度Length (mm)
186	1740	381740	≥220	≥3.7	≤100	≤3.9	≤17.5	≤40.5
187		551740	≥355	≥3.7	≤70	≤5.5	≤17.5	≤40.5
188		681740	≥420	≥3.7	≤90	≤6.8	≤17.5	≤40.5
189	1744	501744	≥320	≥3.7	≤70	≤5.0	≤17.5	≤44.5
190	1745	301745	≥180	≥3.7	≤120	≤3.0	≤17.5	≤45.5
191		451745	≥280	≥3.7	≤100	≤4.5	≤17.5	≤45.5
192	1748	901748	≥660	≥3.7	≤90	≤9.0	≤17.5	≤48.5
193	1752	331752	≥260	≥3.7	≤130	≤3.3	≤17.5	≤52.5
194		381752	≥300	≥3.7	≤100	≤3.8	≤17.5	≤52.5
195		601752	≥470	≥3.7	≤90	≤6.0	≤17.5	≤52.5
196	1753	551753	≥480	≥3.7	≤100	≤5.5	≤17.5	≤53.5
197	1756	621756	≥580	≥3.7	≤120	≤6.2	≤17.0	≤56.5
198	1780	541780	≥680	≥3.7	≤70	≤5.4	≤17.0	≤80.0
199	1818	801818	≥170	≥3.7	≤160	≤8.2	≤18.0	≤19.0
200	1830	501830	≥220	≥3.7	≤140	≤5.0	≤18.5	≤30.5
201	1834	401834	≥200	≥3.7	≤140	≤4.0	≤18.2	≤34.0
202		701834	≥380	≥3.7	≤90	≤7.1	≤18.5	≤34.5
203	1835	501835	≥275	≥3.7	≤110	≤5.0	≤18.0	≤30.0
204		601835	≥330	≥3.7	≤100	≤6.0	≤18.5	≤35.5
205	1836	331836	≥170	≥3.7	≤170	≤3.3	≤18.0	≤36
206	1838	551838	≥330	≥3.7	≤90	≤5.7	≤18.5	≤37.5
207	1840	301840	≥170	≥3.7	≤170	≤3.0	≤18.0	≤40.0
208	1841	751841	≥580	≥3.7	≤100	≤7.6	≤18.5	≤41.5
209		851841	≥610	≥3.7	≤80	≤8.5	≤18.5	≤41.5
210	1866	501866	≥420	≥3.7	≤90	≤4.9	≤16.5	≤63.5
211	1885	451885	≥730	≥3.7	≤80	≤4.6	≤19.0	≤85.8
212	1918	551918	≥140	≥3.7	≤180	≤6.0	≤19.5	≤18.5
213	1920	381920	≥90	≥3.7	≤300	≤3.8	≤19.5	≤20.0
214	1922	421922	≥125	≥3.7	≤200	≤4.2	≤19.5	≤22.5
215	1927	501927	≥210	≥3.7	≤130	≤5.0	≤19.5	≤27.5
216		801927	≥320	≥3.7	≤160	≤8.0	≤19.5	≤27.8
217	2020	382020	≥100	≥3.7	≤200	≤4.0	≤20.5	≤20.5
218		452020	≥120	≥3.7	≤180	≤4.7	≤20.5	≤20.5
219		702020	≥200	≥3.7	≤150	≤7.0	≤20.5	≤20.8
220	2023	302023	≥80	≥3.7	≤280	≤3.0	≤20.5	≤23.5
221		382023	≥115	≥3.7	≤250	≤3.8	≤20.5	≤23.5
222		752023	≥270	≥3.7	≤150	≤7.5	≤20.5	≤23.5
223	2024	362024	≥130	≥3.7	≤200	≤3.6	≤20.5	≤24.5
224	2025	302025	≥100	≥3.7	≤200	≤3.0	≤20.5	≤25.5
225		602025	≥240	≥3.7	≤130	≤6.2	≤20.5	≤25.5
226		802025	≥320	≥3.7	≤150	≤8.0	≤20.5	≤25.5
227	2027	552027	≥250	≥3.7	≤140	≤5.4	≤20.2	≤27.5
228	2028	302028	≥100	≥3.7	≤180	≤3.0	≤20.5	≤28.5
229		402028	≥170	≥3.7	≤170	≤4.0	≤21.0	≤29.5
230		602028	≥270	≥3.7	≤120	≤6.2	≤19.8	≤28.0
231	2030	182030	≥45	≥3.7	≤450	≤2.0	≤22.0	≤31.0
232		382030	≥170	≥3.7	≤150	≤3.9	≤20.5	≤30.5
233		402030	≥200	≥3.7	≤150	≤4.2	≤20.5	≤30.5
234		602030	≥300	≥3.7	≤100	≤6.0	≤20.5	≤30.5
235	2035	102035	≥650	≥3.7	≤140	≤10.0	≤20.5	≤35.8
236		302035	≥160	≥3.7	≤150	≤3.0	≤20.5	≤35.5
237		402035	≥240	≥3.7	≤140	≤4.2	≤20.5	≤35.5
238		502035	≥280	≥3.7	≤100	≤5.3	≤20.5	≤35.5
239	2040	302040	≥190	≥3.7	≤120	≤3.05	≤20.5	≤40.5
240		372040	≥240	≥3.7	≤100	≤3.7	≤20.5	≤40.5
241		652040	≥450	≥3.7	≤80	≤6.5	≤20.5	≤40.5
242		852040	≥650	≥3.7	≤90	≤8.5	≤20.5	≤40.5
243	2044	352044	≥280	≥3.7	≤120	≤3.5	≤20.5	≤44.5
244		502044	≥420	≥3.7	≤100	≤5.0	≤20.5	≤44.5
245		652044	≥500	≥3.7	≤100	≤6.5	≤20.5	≤44.5
246	2048	452048	≥400	≥3.7	≤80	≤4.5	≤20.5	≤48.5
247		552048	≥550	≥3.7	≤80	≤5.5	≤20.5	≤48.5
248		752048	≥670	≥3.7	≤65	≤7.5	≤20.5	≤48.5
249	2050	402050	≥360	≥3.7	≤120	≤4.1	≤20.0	≤49.5
250		452050	≥450	≥3.7	≤85	≤4.5	≤20.0	≤50.5
251	2060	302060	≥200	≥3.7	≤100	≤3.1	≤20.5	≤60.5
252		602060	≥770	≥3.7	≤90	≤6.0	≤20.0	≤60.5
253		752060	≥900	≥3.7	≤80	≤7.5	≤20.0	≤60.5
254		102060	≥1100	≥3.7	≤70	≤10.0	≤20.5	≤60.8
255	2065	352065	≥350	≥3.7	≤60	≤3.5	≤20.5	≤65.5
256		352065	≥400	≥3.7	≤80	≤3.7	≤20.5	≤65.5
257	2068	502068	≥650	≥3.7	≤80	≤5.2	≤20.5	≤68.5
258	2080	632080	≥950	≥3.7	≤65	≤6.1	≤20.5	≤80.5
259		802080	≥1100	≥3.7	≤70	≤8.0	≤20.5	≤80.5
260		102080	≥1600	≥3.7	≤70	≤10.0	≤20.5	≤80.8
261	2126	922126	≥400	≥3.7	≤100	≤9.2	≤21.5	≤27.3
262	2143	102143	≥950	≥3.7	≤60	≤10.3	≤21.5	≤43.8
263		402143	≥350	≥3.7	≤180	≤4.0	≤21.5	≤43.0
264	2145	372145	≥310	≥3.7	≤100	≤3.7	≤21.5	≤45.5
265	2148	492148	≥470	≥3.7	≤85	≤4.9	≤21.5	≤48.5
266	2154	802154	≥900	≥3.7	≤60	≤8.0	≤21.5	≤54.5
267	2222	302222	≥100	≥3.7	≤260	≤3.2	≤20.0	≤22.5
268	2223	452223	≥210	≥3.7	≤140	≤4.5	≤22.5	≤23.5
269	2227	402227	≥180	≥3.7	≤150	≤4.1	≤22.5	≤26.5
270	2236	502236	≥365	≥3.7	≤95	≤5.0	≤22.5	≤36.5
271	2238	462238	≥350	≥3.7	≤100	≤4.65	≤22.5	≤38.5
272		752238	≥600	≥3.7	≤70	≤7.7	≤22.5	≤38.5
273	2240	552240	≥450	≥3.7	≤100	≤5.5	≤22.5	≤40.5
274		752240	≥650	≥3.7	≤80	≤7.5	≤22.5	≤40.5
275	2245	102245	≥850	≥3.7	≤80	≤9.5	≤22.5	≤45.5
276	2248	402248	≥400	≥3.7	≤100	≤4.0	≤22.5	≤48.5
277		802248	≥800	≥3.7	≤70	≤8.0	≤22.5	≤48.5
278	2250	402250	≥400	≥3.7	≤90	≤4.0	≤22.5	≤50.5
279	2252	762252	≥850	≥3.7	≤80	≤7.6	≤22.0	≤52.0
280	2258	702258	≥950	≥3.7	≤90	≤7.0	≤22.5	≤58.5

序号	系列Series	型号 Model	容 量Capacity (mAh)	电 压Voltage (V)	内阻Inner Resistance (mΩ)	厚 度Thickness (mm)	宽 度Width (mm)	长 度Length (mm)
281	2260	482260	≥600	≥3.7	≤60	≤4.85	≤22.5	≤60.0
282	2294	502294	≥1000	≥3.7	≤80	≤5.0	≤22.5	≤95.0
283		802294	≥1650	≥3.7	≤70	≤8.3	≤22.5	≤95.0
284	2325	502325	≥250	≥3.7	≤120	≤5.2	≤23.5	≤25.5
285	2328	642328	≥300	≥3.7	≤120	≤6.4	≤23.5	≤28.5
286	2330	672330	≥420	≥3.7	≤90	≤6.7	≤23.0	≤30.5
287	2332	402332	≥240	≥3.7	≤100	≤4.2	≤23.5	≤32.5
288		662332	≥420	≥3.7	≤100	≤6.6	≤23.5	≤32.5
289	2335	252335	≥150	≥3.7	≤180	≤2.7	≤23.5	≤35.5
290		352335	≥230	≥3.7	≤120	≤3.5	≤23.5	≤35.5
291		752335	≥550	≥3.7	≤70	≤7.5	≤23.5	≤35.5
292	2338	482338	≥360	≥3.7	≤80	≤4.8	≤23.0	≤38.5
293		602338	≥480	≥3.7	≤80	≤6.2	≤23.5	≤38.5
294		702338	≥460	≥3.7	≤80	≤7.1	≤23.5	≤38.5
295	2359	562359	≥630	≥3.7	≤70	≤5.8	≤23.5	≤59.5
296	2380	302380	≥550	≥3.7	≤70	≤3.2	≤23.5	≤80.5
297	2425	402425	≥170	≥3.7	≤120	≤4.0	≤24.2	≤23.5
298		602425	≥255	≥3.7	≤100	≤6.0	≤24.5	≤25.5
299	2428	362428	≥190	≥3.7	≤140	≤3.6	≤24.5	≤28.5
300	2431	922431	≥650	≥3.7	≤80	≤9.2	≤24.5	≤31.5
301	2438	402438	≥300	≥3.7	≤105	≤4.0	≤24.0	≤38.0
302		562438	≥480	≥3.7	≤80	≤5.8	≤24.5	≤38.5
303		602438	≥350	≥3.7	≤100	≤4.05	≤23.5	≤38.5
304	2447	372447	≥380	≥3.7	≤100	≤3.8	≤24.5	≤47.5
305		682447	≥750	≥3.7	≤80	≤6.8	≤24.5	≤47.5
306	2448	562448	≥600	≥3.7	≤90	≤5.6	≤24.0	≤48.5
307		702448	≥800	≥3.7	≤60	≤7.0	≤24.0	≤48.5
308	2487	252487	≥370	≥3.7	≤120	≤2.5	≤24.0	≤87.0
309	2523	652523	≥320	≥3.7	≤110	≤6.7	≤25.5	≤23.0
310	2525	252525	≥95	≥3.7	≤280	≤2.7	≤25.5	≤25.5
311		402525	≥200	≥3.7	≤150	≤4.0	≤25.5	≤25.5
312		802525	≥400	≥3.7	≤80	≤7.7	≤25.2	≤25.8
313	2528	382528	≥250	≥3.7	≤150	≤4.0	≤25.2	≤28.8
314		852528	≥510	≥3.7	≤100	≤8.8	≤25.2	≤28.8
315	2530	252530	≥150	≥3.7	≤170	≤2.7	≤25.5	≤30.5
316		352530	≥210	≥3.7	≤100	≤3.5	≤25.5	≤30.5
317		402530	≥250	≥3.7	≤120	≤4.2	≤25.5	≤30.5
318	2532	952532	≥720	≥3.7	≤70	≤9.5	≤25.3	≤32.0
319	2533	352533	≥245	≥3.7	≤150	≤3.6	≤25.5	≤33.5
320		452533	≥350	≥3.7	≤100	≤4.7	≤25.5	≤33.5
321		652533	≥500	≥3.7	≤80	≤6.7	≤25.0	≤33.5
322	2535	302535	≥210	≥3.7	≤150	≤3.0	≤25.5	≤33.5
323		502535	≥400	≥3.7	≤120	≤5.1	≤25.5	≤35.5
324		582535	≥470	≥3.7	≤90	≤5.8	≤25.5	≤35.5
325		752535	≥600	≥3.7	≤70	≤7.7	≤25.5	≤35.5
326		102535	≥800	≥3.7	≤100	≤10.0	≤25.5	≤35.5
327	2540	402540	≥350	≥3.7	≤90	≤4.0	≤25.5	≤40.5
328		582540	≥560	≥3.7	≤80	≤5.8	≤25.5	≤40.5
329		652540	≥630	≥3.7	≤90	≤6.5	≤25.0	≤42.0
330	2548	502548	≥580	≥3.7	≤70	≤5.0	≤25.5	≤48.5
331		902548	≥1000	≥3.7	≤70	≤9.2	≤25.5	≤48.5
332	2550	532550	≥520	≥3.7	≤70	≤5.3	≤24.5	≤50.0
333		702550	≥800	≥3.7	≤50	≤7.5	≤24.5	≤50.0
334		852550	≥1000	≥3.7	≤60	≤8.5	≤25.5	≤50.5
335	2570	102570	≥1900	≥3.7	≤55	≤10.0	≤25.5	≤70.5
336	2573	102573	≥2000	≥3.7	≤50	≤10.0	≤25.5	≤73.8
337	2626	452626	≥230	≥3.7	≤160	≤4.4	≤26.5	≤26.0
338	2628	402628	≥240	≥3.7	≤130	≤4.0	≤26.5	≤28.5
339	2629	372629	≥220	≥3.7	≤140	≤3.6	≤26.0	≤29.0
340	2631	652631	≥450	≥3.7	≤100	≤6.5	≤26.0	≤31.0
341	2632	672632	≥500	≥3.7	≤80	≤6.7	≤26.5	≤48.5
342	2634	232634	≥150	≥3.7	≤200	≤2.3	≤28.5	≤34.0
343		452634	≥380	≥3.7	≤85	≤4.7	≤25.6	≤34.0
344	2637	652637	≥650	≥3.7	≤120	≤6.5	≤26.5	≤38.0
345	2638	902638	≥750	≥3.7	≤80	≤9.2	≤26.5	≤38.5
346	2648	502648	≥580	≥3.7	≤90	≤5.0	≤26.5	≤48.5
347	2652	502652	≥670	≥3.7	≤70	≤5.0	≤26.5	≤52.5
348		602652	≥800	≥3.7	≤70	≤6.2	≤26.5	≤52.5
349	2658	802658	≥1000	≥3.7	≤70	≤8.2	≤26.5	≤58.5
350		902658	≥1350	≥3.7	≤60	≤9.2	≤26.5	≤58.5
351	2663	602663	≥1000	≥3.7	≤70	≤6.2	≤26.3	≤63.5
352	2684	602684	≥900	≥3.7	≤80	≤6.0	≤27.0	≤86.0
353	2699	602699	≥1300	≥3.7	≤60	≤6.0	≤26.0	≤99.0
354	2730	502730	≥360	≥3.7	≤110	≤5.0	≤27.5	≤30.8
355		552730	≥400	≥3.7	≤90	≤5.5	≤27.8	≤30.5
356		602730	≥400	≥3.7	≤80	≤6.1	≤27.5	≤30.5
357	2733	502733	≥400	≥3.7	≤100	≤5.2	≤27.5	≤33.5
358		452733	≥360	≥3.7	≤80	≤4.7	≤27.5	≤33.5
359	2734	852734	≥750	≥3.7	≤70	≤8.5	≤27.5	≤34.5
360	2738	382738	≥350	≥3.7	≤120	≤3.8	≤27.5	≤38.5
361		432738	≥410	≥3.7	≤90	≤4.3	≤27.5	≤38.5
362	2740	382740	≥350	≥3.7	≤80	≤3.8	≤27.5	≤40.5
363		102740	≥1000	≥3.7	≤80	≤10.0	≤27.5	≤40.5
364	2742	402742	≥400	≥3.7	≤100	≤3.9	≤27.5	≤42.5
365		752742	≥800	≥3.7	≤65	≤7.5	≤27.5	≤42.5
366	2745	502745	≥600	≥3.7	≤80	≤5.00	≤27.0	≤45.5
367		902745	≥1100	≥3.7	≤50	≤9.0	≤27.0	≤45.8
368	2748	352748	≥400	≥3.7	≤80	≤3.5	≤27.0	≤48.8
369	2770	432770	≥950	≥3.7	≤80	≤4.5	≤27.0	≤70.5
370	2771	422771	≥850	≥3.7	≤60	≤3.8	≤27.5	≤70.5
371	2773	382773	≥700	≥3.7	≤80	≤3.8	≤27.5	≤73
372	2775	372775	≥750	≥3.7	≤70	≤3.7	≤27.17	≤76.0
373	2776	382776	≥860	≥3.7	≤90	≤3.8	≤27.0	≤76.5
374	2828	362828	≥240	≥3.7	≤120	≤3.6	≤28.5	≤28.5
375	2830	402830	≥300	≥3.7	≤110	≤4.0	≤28.0	≤30.0

序号	系列Series	型号 Model	容 量Capacity (mAh)	电 压Voltage (V)	内阻Inner Resistance (mΩ)	厚 度Thickness (mm)	宽 度Width (mm)	长 度Length (mm)
376	2832	402832	≥300	≥3.7	≤100	≤4.0	≤28.5	≤32.5
377	2834	682834	≥600	≥3.7	≤80	≤7.0	≤28.3	≤34.8
378	2835	582835	≥530	≥3.7	≤90	≤6.0	≤28.5	≤35.5
379	2841	702841	≥850	≥3.7	≤80	≤7.0	≤28.5	≤41.5
380	2844	802844	≥1000	≥3.7	≤60	≤8.0	≤28.5	≤44.5
381	2846	612846	≥750	≥3.7	≤70	≤6.1	≤28.0	≤46.5
382	2877	402877	≥900	≥3.7	≤50	≤4.0	≤28.5	≤77.5
383	2880	402880	≥850	≥3.7	≤60	≤4.0	≤29.0	≤80.5
384		432880	≥1000	≥3.7	≤60	≤4.3	≤29.0	≤80.5
385	2897	602897	≥1800	≥3.7	≤40	≤6.0	≤28.5	≤97.5
386	2933	402933	≥380	≥3.7	≤100	≤6.0	≤28.5	≤97.5
387		482933	≥420	≥3.7	≤70	≤4.8	≤29.5	≤33.5
388	2935	502935	≥480	≥3.7	≤90	≤5.0	≤29.0	≤35.0
389		692935	≥650	≥3.7	≤90	≤7.1	≤29.5	≤35.5
390	2950	652950	≥900	≥3.7	≤70	≤6.5	≤29.5	≤50.0
391	2952	672952	≥1100	≥3.7	≤70	≤8.7	≤29.0	≤52.0
392	2953	282953	≥300	≥3.7	≤120	≤2.8	≤29.5	≤53.5
393	2970	432970	≥1000	≥3.7	≤60	≤4.5	≤29.5	≤70.5
394	29127	3829127	≥1650	≥3.7	≤50	≤3.9	≤29.5	≤127.5
395	3028	303028	≥200	≥3.7	≤120	≤3.0	≤30	≤28.5
396	3030	303030	≥220	≥3.7	≤120	≤3.0	≤30.5	≤30.5
397		563030	≥480	≥3.7	≤80	≤5.8	≤30.5	≤30.8
398		683030	≥590	≥3.7	≤80	≤6.8	≤30.5	≤30.8
399	3035	323035	≥300	≥3.7	≤120	≤3.2	≤30.5	≤35.5
400		503035	≥500	≥3.7	≤70	≤5.2	≤30.5	≤35.8
401		803035	≥800	≥3.7	≤70	≤8.0	≤30.5	≤35.8
402	3038	423038	≥450	≥3.7	≤100	≤4.2	≤30.5	≤38.7
403	3040	203040	≥210	≥3.7	≤100	≤2.5	≤36.0	≤40.5
404		503040	≥560	≥3.7	≤85	≤5.0	≤30.5	≤40.5
405		853040	≥1000	≥3.7	≤60	≤8.5	≤30.5	≤40.8
406	3045	473045	≥700	≥3.7	≤80	≤4.7	≤30.5	≤45.5
407		603045	≥850	≥3.7	≤75	≤6.2	≤30.5	≤45.8
408		803045	≥1120	≥3.7	≤70	≤8.0	≤30.5	≤45.8
409	3048	353048	≥500	≥3.7	≤70	≤3.7	≤30.5	≤48.5
410		453048	≥650	≥3.7	≤80	≤4.7	≤30.5	≤48.5
411		603048	≥850	≥3.7	≤65	≤6.3	≤30.5	≤48.5
412		103048	≥1500	≥3.7	≤60	≤10.0	≤30.5	≤48.8
413	3050	453050	≥700	≥3.7	≤70	≤4.5	≤30.0	≤51.5
414	3055	563055	≥950	≥3.7	≤80	≤5.8	≤30.0	≤55.5
415	3060	503060	≥900	≥3.7	≤70	≤5.0	≤30.5	≤60.5
416		603060	≥1000	≥3.7	≤70	≤6.0	≤30.5	≤60.5
417		903060	≥1750	≥3.7	≤50	≤9.0	≤30.5	≤60.5
418	3066	693066	≥1500	≥3.7	≤60	≤6.9	≤30.5	≤66.5
419	3080	703080	≥1800	≥3.7	≤40	≤7.0	≤30.5	≤79.5
420		753080	≥2000	≥3.7	≤50	≤7.5	≤30.5	≤80.5
421	3128	263128	≥180	≥3.7	≤200	≤2.8	≤31.5	≤28.5
422	3135	553135	≥560	≥3.7	≤120	≤5.5	≤31.5	≤36.0
423	3149	123149	≥1900	≥3.7	≤60	≤12.2	≤31.5	≤49.0
424	3232	823232	≥850	≥3.7	≤80	≤8.4	≤32.5	≤32.5
425	3243	403243	≥560	≥3.7	≤80	≤4.0	≤32.5	≤43.0
426	3247	613247	≥1000	≥3.7	≤80	≤6.1	≤32.0	≤47.8
427	3254	403254	≥780	≥3.7	≤80	≤4.0	≤32.0	≤54.0
428	3260	703260	≥1250	≥3.7	≤60	≤7.0	≤30.5	≤60.5
429	3270	803270	≥2000	≥3.7	≤50	≤8.3	≤32.0	≤70.5
430		813270	≥2000	≥3.7	≤50	≤8.1	≤32.0	≤70.5
431	3285	343285	≥950	≥3.7	≤70	≤3.4	≤32.0	≤84.5
432	3328	943328	≥810	≥3.7	≤70	≤9.5	≤33.5	≤28.5
433	3339	693339	≥850	≥3.7	≤70	≤7.0	≤33.5	≤39.5
434		753339	≥1000	≥3.7	≤60	≤7.5	≤33.5	≤39.5
435	3342	703342	≥1000	≥3.7	≤70	≤7.0	≤33.5	≤42.5
436	3434	103434	≥1150	≥3.7	≤80	≤10.0	≤34.5	≤34.8
437		503434	≥500	≥3.7	≤80	≤5.0	≤34.5	≤34.8
438		583434	≥700	≥3.7	≤100	≤5.8	≤34.5	≤34.8
439	3737	433737	≥600	≥3.7	≤100	≤4.4	≤38.0	≤37.5
440	3438	403438	≥470	≥3.7	≤85	≤3.9	≤34.0	≤38.5
441	3440	343440	≥360	≥3.7	≤60	≤3.6	≤34.5	≤40.5
442	3443	603443	≥850	≥3.7	≤80	≤6.0	≤34.5	≤43.5
443		553443	≥800	≥3.7	≤80	≤5.5	≤34.5	≤43.5
444	3445	113445	≥2000	≥3.7	≤80	≤11.5	≤34.5	≤45.8
445		603445	≥1000	≥3.7	≤80	≤6.2	≤34.5	≤45.5
446		903445	≥1450	≥3.7	≤80	≤9.0	≤34.5	≤45.8
447	3448	103448	≥1700	≥3.7	≤60	≤10.0	≤34.5	≤48.8
448		523448	≥800	≥3.7	≤65	≤5.2	≤34.5	≤48.5
449		803448	≥1350	≥3.7	≤60	≤8.0	≤34.5	≤48.0
450		983448	≥1400	≥3.7	≤65	≤9.8	≤34.5	≤48.8
451	3450	103450	≥2000	≥3.7	≤50	≤10.0	≤34.5	≤51.0
452		383450	≥650	≥3.7	≤60	≤3.8	≤34.5	≤50.5
453		603450	≥1100	≥3.7	≤70	≤6.2	≤34.5	≤50.5
454		883450	≥1500	≥3.7	≤55	≤8.8	≤34.5	≤50.5
455	3455	293455	≥550	≥3.7	≤70	≤2.9	≤34.5	≤55.5
456		483455	≥950	≥3.7	≤70	≤4.8	≤34.5	≤55.0
457	3465	423465	≥1000	≥3.7	≤70	≤4.2	≤34.5	≤66.0
458		803465	≥2000	≥3.7	≤50	≤8.2	≤34.5	≤65.5
459		853465	≥1900	≥3.7	≤50	≤8.5	≤34.5	≤65.5
460	3482	503482	≥1550	≥3.7	≤50	≤5.0	≤34.0	≤82.0
461	3496	603496	≥1800	≥3.7	≤30	≤6.2	≤34.5	≤96.8
462	3535	103535	≥1100	≥3.7	≤40	≤9.6	≤35.0	≤35.0
463		383535	≥400	≥3.7	≤80	≤3.8	≤35.5	≤35.5
464		833535	≥950	≥3.7	≤65	≤8.3	≤35.0	≤35.0
465	3640	553640	≥850	≥3.7	≤60	≤5.5	≤36.0	≤40.0
466	3545	253545	≥300	≥3.7	≤100	≤2.5	≤35.5	≤45.5
467		703545	≥650	≥3.7	≤90	≤7.0	≤35.0	≤45.0
468	3560	523560	≥1150	≥3.7	≤55	≤5.2	≤35.5	≤60.5
469		843560	≥1700	≥3.7	≤60	≤8.4	≤35.5	≤60.5
470	3562	503562	≥1100	≥3.7	≤70	≤5.2	≤35.0	≤62.5

序号	系列Series	型号 Model	容 量Capacity (mAh)	电 压Voltage (V)	内阻Inner Resistance (mΩ)	厚 度Thickness (mm)	宽 度Width (mm)	长 度Length (mm)
471	3566	683566	≥1750	≥3.7	≤50	≤6.8	≤35.0	≤64.5
472	3568	543568	≥1450	≥3.7	≤60	≤5.7	≤35.0	≤66.8
473	3650	883650	≥1620	≥3.7	≤60	≤8.7	≤36.3	≤50.0
474	3654	103654	≥2000	≥3.7	≤50	≤10.0	≤36.5	≤54.8
475	3672	253672	≥600	≥3.7	≤90	≤2.5	≤36.5	≤72.5
476	3674	253674	≥600	≥3.7	≤80	≤2.8	≤36.0	≤73.5
477	3679	623679	≥2000	≥3.7	≤45	≤6.2	≤36.0	≤79.0
478	3686	473686	≥1550	≥3.7	≤60	≤4.5	≤36.5	≤86.5
479	3756	603756	≥1350	≥3.7	≤45	≤6.2	≤37.5	≤56.0
480	3757	513757	≥1200	≥3.7	≤70	≤5.1	≤37.0	≤59.5
481	3759	303759	≥700	≥3.7	≤70	≤3.1	≤37.5	≤59.5
482		583759	≥1400	≥3.7	≤45	≤6.0	≤37.5	≤59.5
483		783759	≥1800	≥3.7	≤50	≤7.8	≤37.5	≤59.5
484	3840	383840	≥530	≥3.7	≤90	≤3.9	≤38.5	≤39.0
485	3848	303848	≥500	≥3.7	≤60	≤3.0	≤38.5	≤48.5
486		713848	≥1400	≥3.7	≤80	≤7.1	≤38.5	≤48.8
487		903848	≥1700	≥3.7	≤40	≤9.2	≤38.5	≤48.5
488	3860	703860	≥1800	≥3.7	≤60	≤7.0	≤38.5	≤60.5
489		723860	≥1800	≥3.7	≤60	≤7.5	≤38.5	≤60.5
490		803860	≥2000	≥3.7	≤50	≤8.0	≤38.5	≤60.5
491	3944	603944	≥1100	≥3.7	≤70	≤6.0	≤39.2	≤46.0
492		703944	≥1350	≥3.7	≤50	≤7.1	≤39.8	≤44.5
493	4040	304040	≥420	≥3.7	≤100	≤3.0	≤40.5	≤40.5
494	4044	384044	≥550	≥3.7	≤90	≤3.8	≤40.0	≤44.0
495		404044	≥650	≥3.7	≤80	≤4.0	≤40.0	≤44.0
496		504044	≥800	≥3.7	≤80	≤5.0	≤40.0	≤44.0
497	4050	274050	≥450	≥3.7	≤80	≤2.7	≤40.3	≤50.3
498		854050	≥2000	≥3.7	≤60	≤8.5	≤40.5	≤50.7
499	4052	384052	≥820	≥3.7	≤70	≤3.8	≤40.5	≤52.5
500		504052	≥1100	≥3.7	≤40	≤5.2	≤40.5	≤52.5
501		554052	≥1100	≥3.7	≤70	≤5.5	≤40.5	≤52.5
502	4057	504057	≥1200	≥3.7	≤60	≤4.9	≤40.5	≤57.0
503		464057	≥1100	≥3.7	≤50	≤4.6	≤40.5	≤57.0
504	4060	454060	≥1000	≥3.7	≤80	≤4.5	≤40.5	≤60.5
505		504060	≥1300	≥3.7	≤70	≤5.0	≤40.5	≤60.5
506		604060	≥1400	≥3.7	≤70	≤6.0	≤40.5	≤60.5
507	4069	354069	≥900	≥3.7	≤60	≤3.6	≤40.5	≤69.5
508		404069	≥1200	≥3.7	≤60	≤4.0	≤41.0	≤70.0
509		604069	≥2000	≥3.7	≤60	≤6.0	≤40.0	≤69.5
510	4086	504086	≥2000	≥3.7	≤50	≤5.0	≤40.0	≤85.0
511	4090	404090	≥900	≥3.7	≤60	≤4.0	≤40.0	≤91.0
512	4155	724155	≥1680	≥3.7	≤40	≤7.2	≤41.5	≤55.5
513		754155	≥1750	≥3.7	≤38	≤7.5	≤41.5	≤55.5
514	4166	654166	≥2000	≥3.7	≤50	≤6.5	≤41.5	≤66.0
515	4250	834250	≥1500	≥3.7	≤80	≤8.3	≤42.0	≤50.0
516		864250	≥1650	≥3.7	≤80	≤8.6	≤42.5	≤50.5
517	4255	604255	≥1350	≥3.7	≤65	≤6.2	≤42.5	≤55.5
518	4260	564260	≥1650	≥3.7	≤60	≤5.6	≤42.0	≤60.8
519	4270	374270	≥1000	≥3.7	≤60	≤3.7	≤42.0	≤70.0
520	4347	294347	≥560	≥3.7	≤80	≤3.0	≤43.5	≤47.5
521		674347	≥1500	≥3.7	≤65	≤6.8	≤43.5	≤47.5
522	4355	684355	≥1750	≥3.7	≤60	≤6.8	≤43.5	≤55.8
523		404355	≥950	≥3.7	≤75	≤4.0	≤43.0	≤55.5
524	4359	534359	≥1450	≥3.7	≤60	≤5.3	≤44.0	≤60.0
525	4360	304360	≥700	≥3.7	≤60	≤3.0	≤43.5	≤60.5
526		674360	≥1950	≥3.7	≤50	≤6.7	≤43.5	≤60.5
527	4368	274368	≥830	≥3.7	≤80	≤2.7	≤43.0	≤68.0
528	4450	604450	≥1500	≥3.7	≤60	≤6.0	≤44.5	≤50.5
529		854450	≥2000	≥3.7	≤70	≤8.5	≤44.5	≤50.8
530	4759	604759	≥1950	≥3.7	≤60	≤6.0	≤47.5	≤59.0
531	4860	334860	≥950	≥3.7	≤70	≤3.3	≤48.0	≤60.5
532		654860	≥2000	≥3.7	≤40	≤6.5	≤48.5	≤60.5
533	4868	554868	≥2000	≥3.7	≤60	≤5.5	≤48.5	≤68.5
534		374868	≥1200	≥3.7	≤60	≤3.7	≤48.5	≤68.5
535	5048	605048	≥1600	≥3.7	≤45	≤6.0	≤50.0	≤48.5
536		705048	≥2000	≥3.7	≤60	≤7.2	≤50.0	≤48.5
537	5052	405052	≥1100	≥3.7	≤60	≤4.0	≤50.0	≤52.5
538	5056	535056	≥1500	≥3.7	≤60	≤5.3	≤50.5	≤56.5
539		655056	≥1900	≥3.7	≤50	≤6.5	≤50.5	≤56.5
540	5068	425068	≥1550	≥3.7	≤60	≤4.2	≤50.5	≤68.0
541		555068	≥2000	≥3.7	≤60	≤5.5	≤50.5	≤68.5
542	5078	325078	≥1350	≥3.7	≤70	≤3.2	≤50.5	≤78.5
543	5080	385080	≥1600	≥3.7	≤50	≤3.8	≤50.5	≤80.5
544	5085	285085	≥1200	≥3.7	≤60	≤2.8	≤50.5	≤85.5
545		435085	≥2000	≥3.7	≤45	≤4.4	≤50.5	≤85.5
546	5158	585158	≥1950	≥3.7	≤40	≤5.8	≤51.5	≤58.0
547	5262	535262	≥1700	≥3.7	≤60	≤5.3	≤52.5	≤62.5
548		555262	≥1850	≥3.7	≤40	≤5.5	≤52.5	≤62.5
549	52101	3552101	≥2000	≥3.7	≤45	≤3.5	≤52.8	≤101.8
550	5388	355388	≥1870	≥3.7	≤55	≤3.5	≤53.5	≤88.5
551	5462	555462	≥2000	≥3.7	≤50	≤5.5	≤54.0	≤62.5
552	5545	455545	≥1200	≥3.7	≤65	≤4.7	≤55.5	≤45.5
553	5666	455666	≥2000	≥3.7	≤65	≤4.5	≤56.5	≤66.5
554	5757	705757	≥1850	≥3.7	≤65	≤7.0	≤57.5	≤57.5
555	5770	355770	≥1600	≥3.7	≤60	≤3.7	≤57.5	≤70.5
556	6066	456066	≥1900	≥3.7	≤60	≤4.5	≤60.5	≤66.5
557	6268	416268	≥2000	≥3.7	≤55	≤4.1	≤62.5	≤68.5
558	6275	326275	≥1400	≥3.7	≤50	≤3.2	≤62.5	≤75.5
559	6543	306543	≥1500	≥3.7	≤50	≤3.2	≤65.5	≤43.5
560	7535	527535	≥1300	≥3.7	≤50	≤5.3	≤75.5	≤35.5

Our Test
检测中心

